




ISOMETRIC ACTUAL SIZE


**FRONT VIEW**




**BACK VIEW**




**BOTTOM VIEW**



**TOP VIEW**



**SIDE VIEW**



1	RELEASED FOR PRODUCTION	ROC	15-12-20				
ISSUE	REVISION	DCN / INITIAL	9-12-20	ISSUE	REVISION	DCN / INITIAL	DATE

**MATERIAL & FINISH**  
**PLASTIC, BLACK**

**TOLERANCES**  
 (UNLESS OTHERWISE SPECIFIED)  
 0.1 UP TO 6mm IS ±0.05  
 OVER 6 UP TO 30mm IS ±0.10  
 OVER 30MM UP TO 120mm IS ±0.25  
 OVER 120MM TO 400mm IS ±0.50  
 OVER 400mm IS ±1.00  
 ANGULAR IS ±1/2°

	INITIAL	DATE
DRAWN	ROC	9-12-20
CHECKED	JW	15-12-20
SCALE	1:1	

THIS DOCUMENT AND THE DESIGN IT CONTAINS IS EXCLUSIVELY THE PROPERTY OF ENTTEC AND IS THE SUBJECT OF COPYRIGHT


DRAWN TO AS1100  
 ALL DIMENSIONS IN MILLIMETERS  
 DO NOT SCALE - IF IN DOUBT ASK

**ENTTEC**  
 enttec.com

ISOMETRIC ACTUAL SIZE


**MOUNTING METHOD 1:  
DIN RAIL MOUNT**

ATTACH DIN RAIL CLIP WITH  
TWO M3X8 COUNTERSUNK  
PH2 PHILLIPS DRIVE SCREWS  
ATTACH UNIT TO A SUITABLE TS35 DIN RAIL.



**MOUNTING METHOD 2:  
WALL/PANEL MOUNT**

REMOVE DIN CLIP IF ATTACHED.  
SPACE 2X M3 SCREWS 40MM APART  
HORIZONTALLY AND ATTACH TO TARGET SURFACE.  
MOUNT UNIT TO EXPOSED M3 SCREW HEADS  
SLIDE DOWN TO LOCK.



1	RELEASED FOR PRODUCTION	ROC	15-12-20				
ISSUE	REVISION	DCN / INITIAL	DATE	ISSUE	REVISION	DCN / INITIAL	DATE

**MATERIAL & FINISH**  
**PLASTIC, BLACK**

**TOLERANCES**  
(UNLESS OTHERWISE SPECIFIED)  
0.1 UP TO 6mm IS ±0.05  
OVER 6 UP TO 30mm IS ±0.10  
OVER 30MM UP TO 120mm IS ±0.25  
OVER 120MM TO 400mm IS ±0.50  
OVER 400mm IS ±1.00  
ANGULAR IS ±1/2°

	INITIAL	DATE
DRAWN	ROC	11-12-20
CHECKED	JW	15-12-20
SCALE	1:1	
TITLE		

THIS DOCUMENT AND THE DESIGN IT  
CONTAINS IS EXCLUSIVELY THE  
PROPERTY OF ENTTEC AND IS THE  
SUBJECT OF COPYRIGHT

DRAWN TO AS1100  
ALL DIMENSIONS  
IN MILLIMETERS  
DO NOT SCALE - IF IN DOUBT ASK

**ENTTEC**  
[enttec.com](http://enttec.com)

OCTO MOUNTING DIAGRAMS